



# **Sharpes 16% Earlywean Calf Pellets**

### **KEY BENEFITS:**

- Supports vital early rumen development
- Our original calf ration proven over many years

**SHARPES 16% EARLYWEAN CALF PELLETS** is an excellent balanced feed to help support early rumen development.

The rearing of young stock, particularly heifers, determines your future herd production. Successful calf rearing starts with the calf receiving colostrum during its first few days of life.

Introduce at 4 days old or following Sharpes Calf Sweetmix.

Ideal for twice a day milk feeding systems and for all calves weaned to good grass.

BAG SIZES: 20kg, 1/2 tonne and 1 tonne bags.

**INGREDIENTS SELECTED FROM:** Locally sourced grains and cereals; plant proteins, molasses, copra, macro and trace minerals, vitamins & Rumensin™ 20% MillMix™.

### **FEED RECOMMENDATIONS:**

CALF AGE (DAYS)	16% EARLYWEAN CALF PELLETS	WHOLE MILK OR REPLACER
0-4	Introduce gradually	2 x 2 litres
5-8	Ad lib	2 x 2 litres
9-35	Up to 1.5kg per day	2 x 2 litres
36-84	1.5kg per day maximum	Weaned to clean grass

**TOP TIP:** Fresh, clean water and long fibre straw or hay should always be available.

**TYPICAL ANALYSIS** (approximate on a dry matter basis):

Crude Protein 16% ME 12 MJ/kg Fat 3% Starch 35% Starch + sugar 43% NDF 23%

**STORAGE:** To maintain quality please store product in a cool, dry and vermin free environment. Best fed within six months of production.





P. 06 379 7445
E. info@stockfeed.co.nz
stockfeed.co.nz





## **Sharpes 16% Earlywean Calf Pellets**

## **WARNING** This feed contains Rumensin<sup>™</sup> 20% Millmix<sup>™</sup>. For Animal Treatment Only.

This feed contains Rumensin™ 20% Millmix™ in the calf feed at a rate of 0.5 kg premix per tonne of feed as an aid in the prevention and control of coccidiosis caused by Eimeria bovis and Eimeria zuernii. This is the equivalent of 100 ppm (mg/kg) of monensin active ingredient in the calf feed.

Rumensin<sup>™</sup> 20% MillMix<sup>™</sup> is a registered pursuant to the ACVM Act 1997, A009107. See <a href="https://www.nzfsa.govt.nz/acvm">www.nzfsa.govt.nz/acvm</a> for registration conditions.

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label. This product must not be used for growth promotion in cattle intended for human consumption.

**CONTRAINDICATIONS:** Do not treat cattle with products containing erythromycin, tiamulin or oleandomycin while using Rumensin 20% Millmix.

**CAUTION:** Do not use on horses or dogs as fatal toxicosis may result. Ensure recommended doses are not exceeded. Care must be exercised when feeding concurrently with other antimicrobials.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

### WITHHOLDING PERIOD:

Cattle: Meat: Nil, Milk: Nil

Sheep and Goats – Meat: Nil, Milk: Milk intended for human consumption must be discarded during treatment for not less than 35 days following the last treatment.

Please note: Do not feed to any other animal species than those listed on the label and only feed as directed.

Nutritional information provided by: Nutritech International.







